

Your Best Partner,
INES, INC.

www.ines.kr

WIRE MESH FENCE
WIRE MESH SECURITY CAGE
PALLET RACK WIRE DECK
WIRE DECK MATS
WALL PLATES (SWITCH COVER PLATES)

INES

www.ines.kr



INES, INC.

100 Chomak-gil, Anseong-si, Gyeonggi-do, the Republic of Korea
tel: +81-31-675-7415 fax: +81-31-675-7418

INES, INC.



YOUR BEST PARTNER
INES, INC.

About Us

Specialized manufacturing company for iron and metal products

Ines, Inc. was established in 1993 and mainly produces, export, and sells Wire mesh fence, Wire mesh security cage, Pallet rack wire deck, Wire deck mats and Wall plates (Switch cover plates).

BUSINESS INFORMATION

Metal product manufacturing

Import and export of non-ferrous metals and chemical products

Import and export business



Intro

Since its establishment, we have been building trust with customers with high quality control and cost competitiveness based on various technologies such as Wire mesh fence, Wire mesh security cage, Pallet rack wire deck, Wire deck mats, Wall plates (Switch cover plates), non-ferrous metal, chemical product import and export business, trade business agency, and powder coating outsourcing. We will continue to invest for world-class expertise in products with excellent durability, functionality, and safe materials.

Vision

- Corporate sustainability management - efficiency of organizational management operating system
- Realization of ESG management system - Establishment of ESG business foundation
- World-class expertise
- Social Contribution - Community Sharing Activities

MAIN PRODUCTS

WIRE MESH FENCE
WIRE MESH SECURITY CAGE
PALLET RACK WIRE DECK
WIRE DECK MATS
WALL PLATES(SWITCH COVER PLATES)


History

2023	April. Designated as a member of Global Leading Company 1000+ by Korean Government
2022	June. Identified as Ppuri Enterprise by Korean Government
2013	Dec. Relocation of headquarters and business site to Bangcho-ri, Anseong-si
2008	Aug. Started US TAYMAC transaction in addition to US Global Industrial and American tack & hardware May. Integrated and relocated headquarters and business site to Mohyeon-myeon, Cheoin-gu, Yongin-si May. Acquire of the factory in Ohyang-ri, Silchon-eup, Gwangju-si, Gyeonggi-do, and start operation
2006	May. Patent /utility model registration-No. 20-0416718
2002	Nov. M&A of Yulgok Trading Co., Ltd. and name change to Ines Incorporated Co., Ltd.
1998	Aug. Established 'Shimyang Yulgok Metal Co., Ltd.' in China
1997	Nov. Awarded Export Tower on Trade Day - Awarded by the Minister of Trade and Industry
1994	July. Established Shinheung Metal Co., Ltd. (1994. 08. 01 Shinheung Metal Co., Ltd. opening day)
1993	July. Established Yulgok Trading Co., Ltd. (July 15, 1993, opening day of Yulgok Trading Co., Ltd.)

YOUR BEST PARTNER
INES, INC.

Organization

As a manufacturer specializing in iron and metal products, it is a promising company that continues to build consumer trust based on high quality control and cost competitiveness. Ines, Inc. will continue to develop through ceaseless technology development.



PERFORMANCE

- ▷ Awarded Export Tower on Trade Day
- ▷ Supply to Home Depot and Walmart through buyers

SOCIAL VALUE

- ▷ Priority recruitment of workers from the underprivileged in the region (60% of all employees from the underprivileged)
- ▷ Donate a certain portion of annual sales to return to society
- ▷ Inauguration of a volunteer group within the company and execution of voluntee

Certification ▶ ISO9001 / ISO14001 Certification company

We will be a true partner with the success of our customers.



Wire Mesh Fence




Mesh Fence Panel

- ▷ It is strong with the welded mesh structure of thick steel wire. It can be supplied in various sizes.
- ▷ Poles for 2m width fences (1 post per span), including attached accessories.
- ▷ The basic color is light green, and other colors such as white and black are also available.
- ▷ Easy to install. It is the most economical fence.

품번(Item#)	높이(Height)	폭(Width)	비고(Remark)
MAF-0600	600mm	1930mm	주주간격 (Post interval) 2meter 기준
MAF-0900	900mm	1930mm	
MAF-1200	1200mm	1930mm	
MAF-1500	1500mm	1930mm	
MAF-1800	1800mm	1930mm	
MAF-2000	2000mm	1930mm	

Mesh Fence Post, Incl. Post cap



품번(Item#)	높이(Height)	적용메쉬휀스판	용도(Usage)	비고(Remark)
MFP-1000	1000mm	MAF-0600	기초용 (for foundation)	주주 (Post) 76.3mm O.D. 주주캡 포함 (Incl. Post Cap)
MFP-1300	1300mm	MAF-0900		
MFP-1600	1600mm	MAF-1200		
MFP-1900	1900mm	MAF-1500		
MFP-2200	2200mm	MAF-1800		
MFP-2350	2350mm	MAF-2000	양카용 (for anchor)	
MFP-0700A	700mm	MAF-0600		
MFP-1000A	1000mm	MAF-0900		
MFP-1300A	1300mm	MAF-1200		
MFP-1600A	1600mm	MAF-1500		
MFP-1900A	1900mm	MAF-1800		
MFP-2050A	2050mm	MAF-2000		




Other Accessories

품번(Item#)	설명(Description)	비고(Remark)
MFP-U	U-밴드(U-Band)	
MFP-SBN	직선 B/N (Straight B/N)	Stainless Steel
MFP-ABN	양카 B/N (Anchor B/N)	

Color

Custom-made in basic green, other colors are subject to special order



Wire Mesh Security Cage



Wire Mesh Security Cage


- ▷ It is a welded wire mesh structure made of thick steel wire with a diameter of 6 mm. Each shelf can withstand a load of 100kg.
- ▷ It can be easily assembled with the KD system, and the steel frame support further increases the load and strength.
- ▷ The wire mesh is well ventilated and shows the inside well, so inventory management is easy. You don't have to open the door one by one to find out what's inside.
- ▷ Dust does not accumulate well. There is no need to frequently wipe off the dust on shelves and the like. Simply mop the floor with the the sprinkler.
- ▷ Finished with epoxy powder coating for high durability and smooth surface.
- ▷ Available in various sizes. It can also be used as a hazardous material storage facility.

Wire Mesh Security Cage




It is a welded wire mesh structure made of thick steel wire with a diameter of 6 mm. Each shelf can withstand a load of 100kg.

- ① Adjust the height of the shelf 3inches apart.
- ② Double doors can be opened at up to 270 degrees



The side plates and hinges are welded to make it strong.



If you place the shelf in the center of the safety cage and install the lock, it boasts the best security.




Model #	Size(mm/Inches)		
	width	Depth	Height
WMC83	914.4/36	609.6/24	914.4/36
WMC84	914.4/36	609.6/24	1219.2/48
WMC85	914.4/36	609.6/24	1524/60
WMC86	914.4/36	609.6/24	1828.8/72
WMC87	1219.2/48	609.6/24	914.4/36
WMC88	1219.2/48	609.6/24	1219.2/48
WMC89	1219.2/48	609.6/24	1524/60
WMC90	1219.2/48	609.6/24	1828.8/72
WMC92	1524/60	609.6/24	1524/60
WMC93	1524/60	609.6/24	1828.8/72
WMC95	1828.8/72	609.6/24	1524/60
WMC96	1828.8/72	609.6/24	1828.8/72
WMC97	1219.2/48	609.6/24	1219.2/48
WMC98	1219.2/48	914.4/36	1524/60
WMC99	1219.2/48	914.4/36	1828.8/72
WMC00	1524/60	914.4/36	1219.2/48
WMC01	1524/60	914.4/36	1524/60
WMC02	1524/60	914.4/36	1828.8/72
WMC04	1828.8/72	914.4/36	1524/60
WMC05	1828.8/72	914.4/36	1828.8/72




Pallet Rack Wire Deck

The wire shelf is suitable for use on pallet rack as the ends is bent.

- ▷ It has a strong welded mesh of steel wire and a channel structure of thick steel plate.
- ▷ Bent wire ends and channel ends wrap firmly the pallet rack beams.
- ▷ It can withstand a load of over 1,200kg per deck.
- ▷ Unlike decks made of plywood/MDF or sheet metal, it is light and breathable, allows for sprinkler cleaning, provides a good view of items on the upper floors, and does not accumulate dust.
- ▷ Also, unlike Tie-bar, Wire decks cover the wider range of space. No risk of items falling off the pallets. It's the same as the cost of 1 or 2 Tie-bars.
- ▷ Easy installation. Just place it on the pallet rack beams. No bolts or anything needed.
- ▷ Finished with epoxy powder coating for high durability and smooth surface.



Pallet Rack Wire Mesh Deck



ITEM	width	Depth	N.W(Kg)
WMD4636	1168.4	914.4	7.12
WMD5236	1320.8	914.4	7.71
WMD5836	1473.2	914.4	8.16
WMD4642	1168.4	1066.8	8.62
WMD5242	1320.8	1066.8	9.62
WMD5842	1473.2	1066.8	10.30
WMD4648	1168.4	1219.2	10.43
WMD5248	1320.8	1219.2	11.79
WMD5848	1473.2	1219.2	13.15

Wire Deck Mats

It is used as a deck (shelf) for angle racks, steel racks, pallet racks, etc., and solves the problem of dust continuously accumulating on existing plywood/MDF or metal decking products.



- ▷ It is a high-strength deck reinforced by welding thick steel wires in a mesh structure and welding double wires on both sides.
- ▷ Unlike decks made of plywood/MDF or steel plates, it has good light and air permeability, enables sprinkler cleaning, allows you to see things on the upper floors, and does not accumulate dust.
- ▷ Easy installation, simply place it on a lightweight rack such as an angle rack. No bolts or anything needed.
- ▷ Finished with epoxy powder coating for high durability and smooth surface.

Wire Deck Mats

Model #	Description	
	인치 (Inch)	센치 (cm)
WMM11	48"Wx24"D	121.92x60.96
WMM12	48"Wx36"D	121.92x91.44
WMM13	48"Wx48"D	121.92 x 121.92
WMM14	60"Wx24"D	152.4x60.96
WMM15	60"Wx36"D	152.4x91.44
WMM16	60"Wx48"D	152.4X 121.92
WMM17	72"Wx24"D	182.88x60.96
WMM18	72"Wx36"D	182.88x91.44
WMM19	72"Wx48"D	182.88 x 121.92
WMM21	36"Wx12"D	91.44x30.48
WMM22	36"Wx18"D	91.44x45.72
WMM23	36"Wx24"D	91.44x60.96
WMM24	48"Wx12"D	121.92x30.48
WMM25	48"Wx18"D	121.92x45.72
WMM26	30"Wx24"D	76.2x60.96
WMM27	30"Wx36"D	76.2x91.44
WMM28	30"Wx48"D	121.92x76.2
WMM29	36"Wx36"D	91.44x91.44

Wall Plates

Wall plates (switch cover plate)

- ▷ Our Wall plates (switch cover plates) are made of metal, not Plastic.
- ▷ Our material of 0.8mm T CR(Cold Rolled) steel is very strong and inflammable. In case of nonferrous metal min. 1.2mm thickness is used.
- ▷ We do not use the cheap plastics that is very fragile and flammable and causes toxic smoke.
- ▷ We have exported these to USA and others for more than 20years.
- ▷ The various finishes, shapes, sizes and configurations are available.

Related products



Putt Key PK-38GR

Keep your golf clubs safe "Putt-Key"


The large head of a mallet putter can be difficult to carry inside a golf bag.
The putte head can take up two-thirds of the golf bag's space causing other clubs to be tangled together.



*Putter Inner Bag
to keep
Putter Higher.*

How To Use

- ▷ The inner diameter of the perky is 38mm, very thick grips may not fit.
- ▷ The basic height is 15cm(6") and is about the tall of a hybrid club.
- ▷ If you want to raise the putter higher, cut the **1. EVA sponge** properly with a cutter, remove the **2. Double-sided tape cover** at the bottom, and attach it by pushing it to the inner end of the putter.
- ▷ The recommended installation location for Putt-Key in the golf bag is the center of the middle compartment of the caddy bag. Even if you put it in as it is, it doesn't move much because of other things, but if you want to fix it more firmly.
- ▷ First remove the **3. Velcro cover** on the bottom of Putt-Key and attach it to the appropriate location on the bottom of the caddy bag.
- ▷ Fasten the O-ring's **4. Velcro tie** to the middle partition at the top opening of the golf bag.



Item name : Putt-key(putter inner bag)
Material : PVC, EVA, Silicon, EPDA
Country of origin : The Republic of Korea
Customer Center : +82-31-675-7415

Item number : PK-38GR
Product size : 800mm × 42mm
Manufacturer/Seller : Ines, Inc.
Return and exchange place : place of purchase and seller

This product may be exchanged or compensated according to the Consumer Dispute Resolution Standards notified by the Fair Trade Commission.

Casting & Non-ferrous Metals

Casting product-etc.





Manhole cover






Grate

Non-ferrous metal

ALUMINUM CHECKER PLATE



BRASS SHEET




Casting street pole



Chemical Product


COPPER CARBONATE



CUPROUS CHLORIDE




CUPRIC CHLORIDE



POTASSIUM NITRATE



Powder Coating & Import/Export



Powder coating outsourcing

► Conveyor System Powder Coating

Conveyor system powder coating refers to a component painting facility that produces the product by transferring the conductor to the conveyor line. Powder coating is a special painting method for coating the product with a spray gun. It automatically moves the powder on the conveyor line and sprays the powder through a spray gun and moves to backing oven. Automatic conveyor system enables high-quality maintenance and mass production. It focuses on mass production of low-weight products and can be painted in bulk.

Import/Export

Ines, Inc., based on decades of rich export / import experience, technology, QC and credit, acts all trade-related tasks on behalf of customers.

- Market research
- Biz-developing
- Buyer/manufacture sourcing
- Import-export affairs

